

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	15511	S2 SAME display\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 12:08
S5	2	S3 SAME S4	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 12:09
S4	8016	expansion NEAR2 function	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 12:09
S6	182	S3 AND S4	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 12:10
S7	99	S6 AND (client AND server)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 12:11
S12	39	S6 AND S11	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 13:07
S11	100563	encod\$3 SAME decod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 13:07
S14	4	(transmit\$4 OR send\$3)NEAR5 (expansion NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 13:13
S15	8	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 13:14

S16	13	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device)OR client)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 15:36
S17	2	("6404431").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/29 15:39
S18	17	(encod\$3 AND compression AND transmit\$4 AND expansion AND function).ab.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 15:40
S19	12	S18 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 15:43
S22	2	logical NEAR2 semantic NEAR compression	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:16
S2	110230	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:19

S25	110230	((receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network))))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:22
S24	110230	((receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network))))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:22
S23	110230	((receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)AND ((server OR destination)NEAR3 (device OR node OR computer OR network))))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:22

S27	5294	(709/203,247).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/29 16:23
S26	68476	S25 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:23
S30	1394	S26 AND S29	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:24
S29	6195	S27 OR S28	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:24
S28	958	(375/240).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/29 16:24
S20	17	semantic NEAR compression	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:24
S31	1771	compression WITH expansion WITH (function OR algorithm)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:28
S33	75	S32 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:29
S34	2	S33 AND S29	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:30

S32	90	S31 SAME encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:31
S35	4915	encod\$3 SAME compress\$3 SAME function	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 16:33
S36	474	(709/247).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/29 16:59
S37	121	(send\$3 OR transmit\$4)NEAR4(compressio n OR decompression OR expanssion) NEAR3 function	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 17:01
S38	958	(375/240).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/11/29 17:02
S39	3	S37 AND S38	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 17:46
S41	14	S40 AND encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 17:50
S40	927	compress\$3 WITH structure WITH web	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/11/29 17:50
S42	1	"websiteoptimization.com"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:18

S43	56	web NEAR3 (structure OR tag) NEAR4 (compression OR compressing OR encod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:20
S21	10	S20 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:20
S46	2	S45 AND semantic	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:22
S45	12	S44 AND expans\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:23
S47	3	S44 AND semantic	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:24
S51	14	S50 AND semantic AND (compres\$4 AND de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:31
S50	474	(709/247).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/12/01 13:31
S49	8	S48 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:31
S48	34	semantic WITH (compres\$4 AND de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2004/12/01 13:31

S52	207	common data (compres\$4 WITH de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/18 08:31
S53	2063656 4	@ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/18 08:32
S57	2063656 4	@ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/18 11:31
S56	207	common data (compres\$4 WITH de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/18 11:31
S54	162	S52 AND S53	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/18 11:31
S58	2	S56 AND S57 AND (expansion NEAR2 function)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/04/18 13:31
S59	323840	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/18 15:03
S60	5940	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)SAME (data NEAR4 set)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/04/18 15:04
S61	265	(710/68).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:10

S68	52	S67 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:12
S67	58	S61 AND S64	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:12
S64	116251	compression AND expansion	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:12
S72	52	S67 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:44
S71	58	S61 AND S64	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:44
S70	116251	compression AND expansion	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:44
S69	265	(710/68).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:44
S12 9	5965	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)SAME (data NEAR4 set)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S12 8	325098	(compres\$5 OR encod\$3) SAME (expan\$5 OR de\$1compres\$5 OR decod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S12 7	2	S125 AND S126 AND (expansion NEAR2 function)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 11:45
S12 6	2063835 0	@ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 11:45
S12 5	208	common data (compres\$4 WITH de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 11:45
S12 4	162	S122 AND S123	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 11:45
S12 3	2063835 0	@ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 11:45
S12 2	208	common data (compres\$4 WITH de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 11:45
S12 1	14	S120 AND semantic AND (compres\$4 AND de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S12 0	510	(709/247).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:45
S11 9	8	S118 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S118	37	semantic WITH (compress\$4 AND de\$1compress\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S117	3	S114 AND semantic	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S116	2	S115 AND semantic	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S115	12	S114 AND expans\$5	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S114	45	S113 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S113	59	web NEAR3 (structure OR tag) NEAR4 (compression OR compressing OR encod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S112	1	"websiteoptimization.com"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S111	16	S110 AND encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S110	954	compress\$3 WITH structure WITH web	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S10 9	3	S107 AND S108	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S10 8	992	(375/240).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:45
S10 7	125	(send\$3 OR transmit\$4)NEAR4(compressio n OR decompression OR expanssion) NEAR3 function	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S10 6	510	(709/247).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:45
S10 5	5260	encod\$3 SAME compress\$3 SAME function	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S10 4	2	S103 AND S99	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S10 3	77	S102 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S10 2	95	S101 SAME encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S10 1	1851	compression WITH expansion WITH (function OR algorithm)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S10 0	1462	S96 AND S99	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S99	6684	S97 OR S98	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S98	992	(375/240).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:45
S97	5749	(709/203,247).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:45
S96	69571	S95 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S95	120478	((receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network))))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S94	120478	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)SAME ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S93	120478	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))SAME ((client OR source)NEAR2 (deviceOR computer OR network)AND ((server OR destination)NEAR3 (device OR node OR computer OR network)))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S92	2	logical NEAR2 semantic NEAR compression	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S90	18	semantic NEAR compression	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S89	12	S88 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S88	17	(encod\$3 AND compression AND transmit\$4 AND expansion AND function).ab.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S87	2	("6404431").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 11:45
S86	16	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device)OR client)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S85	11	(transmit\$4 OR send\$3)NEAR5 ((decompress\$4 OR decod\$3 OR expansion) NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S84	4	(transmit\$4 OR send\$3)NEAR5 (expansion NEAR2 function)NEAR5 (destination OR (request\$3 NEAR2 device))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S83	26	S82 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S82	43	S78 AND S81	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S81	106893	encod\$3 SAME decod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S80	42	S79 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S79	111	S78 AND (client AND server)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S78	202	S75 AND S76	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S77	2	S75 SAME S76	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S76	8592	expansion NEAR2 function	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S75	16999	S74 SAME display\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S74	120478	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3 WITH (expansion NEAR3 (function OR module OR method OR scheme))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45
S73	120478	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 11:45

S13 2	66	S61 AND S131	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 12:18
S13 1	74580	compression.ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 12:18
S91	10	S90 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 12:18
S13 5	39209	compression WITH expansion	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 14:24
S13 6	6	S135 SAME semantic	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 14:25
S13 3	56	S132 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 14:58
S13 8	18	S137 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 16:21
S13 9	45	compress\$3 WITH(common WITH ((data OR information)NEAR2 set))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 16:23
S14 0	10	S139 AND ((expansion OR decod\$3 OR de\$1compress\$3)WITH function)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 16:24

S13 7	23	client server compression expansion	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 16:29
S14 2	2	(client server compression expansion).bsum.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 16:40
S14 3	35	(client server compression). bsum. AND semantic	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 16:41
S14 6	173	(compression expansion)AND S145	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 17:13
S14 4	22	S143 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 17:13
S14 1	8	(client server compression expansion).ab.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 17:13
S14 8	64	S147 AND (semantic OR common) AND data	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 17:16
S14 9	265	(710/68).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 17:23
S15 0	6	common WITH (data NEAR2 set) AND S149	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 17:24

S15 1	11	(common\$3 OR frequent\$4) WITH (data NEAR2 set) AND S149	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 17:32
S15 3	230	group\$3 common (data OR information)record	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 17:34
S15 2	1135	group\$3 common (data OR information)record	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 17:34
S15 4	7	S145 AND S153	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 17:35
S15 5	3	S154 AND (compression OR encod\$3) AND (de\$1compress\$3 OR de\$1cod\$3 OR expan\$5)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/02 17:37
S15 7	7	S145 AND S156	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 18:08
S15 6	51	(compress\$3 search result request)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 18:08
S14 7	150	S146 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 18:08
S15 9	2	("6345307").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/02 18:19

S15 8	6	S157 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/02 18:19
S1	110230	(receiv\$3 OR transmit\$4) WITH request WITH (data OR information OR (data ADJ set)) OR (web NEAR2 (page OR document OR object OR information)) WITH (determin\$3 OR verify\$3 OR match\$3) WITH (compression NEAR3 (function OR module OR method OR scheme)) WITH encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:25
S16 3	13	S161 AND S162	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:27
S16 0	228	compress\$3 search (request OR result)(expand\$5 OR de\$1compress\$3 OR de\$1cod\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:35
S16 4	83842	(compress\$3 OR encod\$3) (expand\$5 OR de\$1compress\$3 OR de\$1cod\$3)(function OR module OR software OR unit OR step)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:36
S16 5	54757	((data NEAR2 set)OR information) AND S164	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:37
S16 9	132	S162 AND S168	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:38
S16 8	18171	S164.ab.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:38

S16 7	520	S162 AND S166	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:38
S16 6	22271	((data NEAR2 set)OR information) S164	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:38
S16 1	149	S160 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:38
S17 2	41	S170 AND S171	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 11:39
S17 5	2	S173 AND S174	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 12:23
S17 4	848	babu.in.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 12:23
S17 3	292	rastogi.in.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 12:23
S17 1	249819	compress\$4.ti.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 12:23
S17 6	44	compressing WITH HTML	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 15:37

S17 8	27	S176 AND structure	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 15:40
S17 7	4	S176 SAME structure	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 15:40
S17 0	108	S169 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 15:40
S17 9	13	S178 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/04 15:45
S18 0	10	compress\$4 ((web NEAR page) OR HTML)structure	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/04 16:34
S18 1	40	partial compress\$5 expansion data	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/05 15:02
S18 2	1	S181 AND (dynamic\$5 compression)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/05 15:03
S18 3	126	semantic compression	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/05 15:25
S18 6	8	S185 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/05 15:27

S18 5	38	S183 AND (common (data OR information))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/05 15:27
S18 4	9	S183 SAME (common (data OR information))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/05 15:27
S18 7	10	(US-20020156618-\$).did. or (US-5862347-\$ or US-5999936-\$ or US-6219716-\$ or US-6404431-\$ or US-6434561-\$ or US-6466999-\$ or US-6529912-\$ or US-6532121-\$).did. or (JP-07184194-\$).did.	US-PGPU B; USPAT; DERWENT	SAME	ON	2005/05/05 16:14
S18 8	8	(US-20020073116-\$).did. or (US-6345307-\$ or US-6370536-\$ or US-6404431-\$ or US-6466999-\$ or US-6493766-\$ or US-6728785-\$ or US-6883137-\$).did.	US-PGPU B; USPAT	SAME	ON	2005/05/05 16:17
S18 9	84	Elwood WITH Norris	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 14:19
S19 4	23	S190 AND S193	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 14:21
S19 3	12979	sound NEAR system	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 14:21
S19 0	79	S189.in.	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 14:21

S19 5	2094	(send\$3 OR transmit\$4 OR forward\$3) (expansion OR de\$1cod\$3 OR de\$1compres\$4)(destination OR target OR second OR other) (device OR node OR computer ORterminal)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/06 16:12
S19 6	1403	S195 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 16:13
S8	38	S7 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 16:13
S19 7	8644	((710/68) or (375/240) or (707/101) or (709/203,247)). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/06 16:14
S14 5	8622	((710/68) or (375/240) or (707/101) or (709/203,247)). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/06 16:14
S19 8	20	S196 AND S197	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 18:33
S20 0	1	S199 AND (transmit\$4 WITH decompres\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/06 18:34
S19 9	2	("6009456").PN.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/06 18:34

S20 1	101555	(Transmit\$4 OR communicat\$3 OR transfer\$4 OR pass\$3 OR send\$3) (de\$1compress\$4 OR expand\$3 OR expansion) (Function OR algorithm OR scheme OR method OR system)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/10 15:12
S20 2	29584	(Transmit\$4 OR communicat\$3 OR transfer\$4 OR pass\$3 OR send\$3) (de\$1compress\$4 OR expand\$3 OR expansion) (Function OR algorithm OR scheme OR method OR system)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/10 15:16
S20 3	605	(Transmit\$4 OR communicat\$3 OR transfer\$4 OR pass\$3 OR send\$3) (de\$1compress\$4 OR expand\$3 OR expansion) (Function OR algorithm OR scheme OR method OR system) encod\$3	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/10 15:26
S20 6	8660	((710/68) or (375/240) or (707/101) or (709/203,247)). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/10 15:27
S20 5	55	S204 AND (data NEAR set)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/10 15:27
S20 4	297	S203 and compres\$3 AND de\$1compress\$4	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/10 15:27
S16 2	8636	((710/68) or (375/240) or (707/101) or (709/203,247)). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/10 15:27
S20 7	5	S205 AND S206	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/10 17:49

S210	6	S208 AND S209	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/10 17:50
S209	8660	((710/68) or (375/240) or (707/101) or (709/203,247)). CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/10 17:50
S208	191	encod\$3 common data set	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/10 18:00
S44	45	S43 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/10 18:01
S212	34	S211 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/10 18:15
S211	54	(encod\$3 common data set)AND (compres\$4 OR de\$1compres\$4)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/10 18:15
S214	2	S213 SAME huffman	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/11 14:11
S213	173	encod\$3 only (common OR repeat\$3) data	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/11 14:11
S218	2	S215 AND S216 AND S217	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:05

S21 7	755	((710/68) or (709/247)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/12 12:05
S21 6	259	(transmit\$4 OR send\$3) (compres\$5 OR encod\$3) (table OR dictionary)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:05
S13	24	S12 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:06
S22 2	17	S221 AND (common WITH data)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:07
S22 0	559	S217 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:07
S21 9	141	S216 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:07
S22 4	18	S223 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:13
S21 5	195	transmit\$4 (compres\$5 OR encod\$3) (table OR dictionary)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:13
S22 6	88	S225 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:22

S22 5	128	transmit\$4 (compres\$5 OR encod\$3) (table OR dictionary OR function)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/12 12:22
S22 3	34	transmit\$4 (compres\$5 OR encod\$3) (table OR dictionary)((destination OR remote OR reciev\$3 OR second) NEAR3 (Terminal OR device OR node OR computer))	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	WITH	ON	2005/05/12 12:22
S22 1	105	S215 AND @ad<"20010502"	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 12:22
S22 7	25	(US-20020073116-\$ or US-20020156618-\$).did. or (US-5023869-\$ or US-5862347-\$ or US-5999936-\$ or US-6009456-\$ or US-6219716-\$ or US-6301394-\$ or US-6345307-\$ or US-6370536-\$ or US-6404431-\$ or US-6420980-\$ or US-6434561-\$ or US-6466999-\$ or US-6493766-\$ or US-6529912-\$ or US-6532121-\$ or US-6728785-\$ or US-6883137-\$ or US-5999949-\$ or US-5598564-\$ or US-5831558-\$ or US-5663721-\$ or US-6192259-\$).did. or (JP-07184194-\$).did.	US-PGPU B; USPAT; DERWENT	SAME	ON	2005/05/12 14:47
S22 8	5	S227 AND (text WITH image)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 14:53
S23 0	8	S227 AND (text and image)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 15:05

S22 9	5	S227 AND (text SAME image)	US-PGPU B; USPAT; EPO; JPO; DERWENT ; IBM_TDB	SAME	ON	2005/05/12 15:05
----------	---	----------------------------	--------------------------------------------------------------	------	----	---------------------